



MATERIAL SAFETY DATA SHEET

Section 1 - Identification of Chemical Product and Company

Ancare Australia Pty Limited
Level 6, 79 George Street
Parramatta NSW 2150

Phone: 1800 001 973
Phone: 02 9893 0071
Fax: 02 9893 0099

Substance: Abamectin is a macrocyclic lactone; triclabendazole is a benzimidazole derivative.
Trade Name: Genesis Ultra Pour-on
Product Code: KGUPO
Product Use: Pour-on treatment for certain internal and external parasites on cattle as described on the product label.
Creation Date: April, 2005
Revision Date: May 2005

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Hazardous according to the criteria of NOHSC Australia.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R22, R52, R36/38. Harmful if swallowed. Harmful to aquatic organisms. Irritating to eyes and skin.

Safety Phrases: S20, S44, S61, S24/25. When using, do not eat or drink. If you feel unwell, contact a doctor or Poisons Information Centre immediately (show the label where possible). Avoid release to the environment. Refer to special instructions/Safety Data Sheets. Avoid contact with skin and eyes.

SUSDP Classification: S6

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

Emergency Overview

Physical Description & Colour: Clear brown liquid.

Odour: No data

Major Health Hazards: Symptoms of Abamectin poisoning observed in laboratory animals include pupil dilation, vomiting, convulsions and/or tremors, and coma. At very high doses, it can affect mammals, causing symptoms of nervous system depression such as incoordination, tremors, lethargy, excitation, and pupil dilation. Very high doses have caused death from respiratory failure. Irritating to eyes and skin, harmful if swallowed.

Triclabendazole is NOT harmful:

LD₅₀ Rat >8000 mg/kg

Oral (mouse) LD₅₀: >8000 mg/kg

Inhalation (rat) LC₅₀: >500 mg/m³/4h

Dermal (rat) LD₅₀: >4000 mg/kg

Potential Health Effects

See section 11 for Chronic exposure studies.

Inhalation

Short Term Exposure: Significant inhalation exposure is considered to be unlikely. Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Eye Contact:

Short Term Exposure: Exposure via eyes is considered to be unlikely. This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

MATERIAL SAFETY DATA SHEET

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, and is likely to cause headache and gastric disturbance such as nausea and vomiting if ingested in significant quantities. This product is unlikely to cause any irritation problems in the long term.

Carcinogen Status:

NOHSC: No significant ingredient is classified as carcinogenic by NOHSC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%w/v	TWA (mg/m ³)	STEL (mg/m ³)
Abamectin	71751-41-2	5g/L	not set	not set
Triclabendazole	68786-66-3	300g/L	not set	not set
Other non hazardous ingredients		to 1L	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: If skin contact occurs, remove contaminated clothing, quickly and gently blot or wipe away chemical with a tissue or cloth, preferably impregnated with cooking oil, then wash skin thoroughly using soap and water (use non-abrasive soap if necessary). Do not use water first.

Remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts). Completely decontaminate clothing, shoes and leather goods, using cooking oil, before reuse or discard. If irritation persists, repeat cleaning and obtain medical advice.

Eye Contact: If product in eyes, first quickly, gently and completely blot or wipe chemical from eye(s) then flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until all product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product is classified as a C2 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: No data

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: C2

MATERIAL SAFETY DATA SHEET

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

Exposure Limits

TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by NOHSC for any of the significant ingredients in this product.

The ADI for Abamectin is set at 0.0005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day.

The ADI for Triclabendazole is set at 0.002mg/kg/day. The corresponding NOEL is set at 0.15mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, Dec 2004.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

MATERIAL SAFETY DATA SHEET

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Clear brown liquid.
Odour:	No data
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	1.1-1.2
Water Solubility:	No data. Expected to be insoluble.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. Hydrogen cyanide poisoning signs and symptoms are weakness, dizziness, headache, nausea, vomiting, coma, convulsions, and death. Death results from respiratory arrest. Hydrogen cyanide gas acts very rapidly; symptoms and death can both occur quickly.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: Acute toxicity: Abamectin is highly toxic to insects and may be highly toxic to mammals as well. Emulsifiable concentrate formulations may cause slight to moderate eye irritation and mild skin irritation. Symptoms of poisoning observed in laboratory animals include pupil dilation, vomiting, convulsions and/or tremors, and coma. Abamectin acts on insects by interfering with the nervous system. At very high doses, it can affect mammals, causing symptoms of nervous system depression such as incoordination, tremors, lethargy, excitation, and pupil dilation. Very high doses have caused death from respiratory failure. Abamectin is not readily absorbed through skin. Tests with monkeys show that less than 1% of dermally applied abamectin was absorbed into the bloodstream through the skin. Abamectin does not cause allergic skin reactions. The oral LD₅₀ for abamectin in rats is 10 mg/kg, and in mice ranges from 14 mg/kg to greater than 80 mg/kg. The dermal LD₅₀ for technical abamectin in rats and rabbits is greater than 330 mg/kg.

Chronic toxicity: In a 1-year study with dogs given oral doses of abamectin, dogs at the 0.5 and 1 mg/kg/day doses exhibited pupil dilation, weight loss, lethargy, tremors, and recumbency. Similar results were seen in a 2-year study with rats fed 0.75, 1.5, or 2 mg/kg/day. Rats at all the dosage levels exhibited body weight gains significantly higher than the controls. A few individuals in the high dose group exhibited tremors. When mice were fed 8 mg/kg/day for 94 weeks, the males developed dermatitis and changes in blood formation in the spleen, while females exhibited tremors and weight loss.

Reproductive effects: Rats given 0.40 mg/kg/day of abamectin had increased stillbirths, decreased pup viability, decreased lactation, and decreased pup weights. These data suggest that abamectin may have the potential to cause reproductive effects at high enough doses.

Teratogenic effects: Abamectin produced cleft palate in the offspring of treated mice and rabbits, but only at doses that were also toxic to the mothers. There were no birth defects in the offspring of rats given up to 1 mg/kg/day. Abamectin is unlikely to cause teratogenic effects except at doses toxic to the mother.

MATERIAL SAFETY DATA SHEET

Mutagenic effects: Abamectin does not appear to be mutagenic. Mutagenicity tests in live rats and mice were negative. Abamectin was shown to be nonmutagenic in the Ames test.

Carcinogenic effects: Abamectin is not carcinogenic in rats or mice. The rats were fed dietary doses of up to 2 mg/kg/day for 24 months, and the mice were up to 8 mg/kg/day for 22 months. These represent the maximum tolerated doses.

Organ toxicity: Animal studies indicate that abamectin may affect the nervous system.

Fate in humans and animals: Tests with laboratory animals show that ingested avermectin B1a is not readily absorbed into the bloodstream by mammals and that it is rapidly eliminated from the body within 2 days via the faeces. Rats given single oral doses of avermectin B1a excreted 69 to 82% of the dose unchanged in the faeces. The average half-life of avermectin B1a in rat tissue is 1.2 days. Lactating goats given daily oral doses for 10 days excreted 89% of the administered avermectin, mainly in the faeces. Less than 1% was recovered in the urine.

Triclabendazole is of low acute oral toxicity ($LD_{50} > 8000$ mg/kg in rats and mice), low acute dermal toxicity ($LD_{50} > 4000$ mg/kg in rats). In all species, symptoms are related to central nervous system effects i.e. sedation, dyspnoea and exophthalmos. Triclabendazole is a slight skin irritant but not an eye irritant, in rabbits. It is a skin sensitiser if administered subcutaneously, in guinea pigs.

Triclabendazole is used orally in humans at 10 mg/kg bodyweight and is well tolerated.

Section 12 - Ecological Information

Triclabendazole is said to be biodegradable; we have no data to confirm this.

Effects on birds: Abamectin is practically nontoxic to birds. The LD_{50} for abamectin in bobwhite quail is >2000 mg/kg. The dietary LC_{50} is 3102 ppm in bobwhite quail. There were no adverse effects on reproduction when mallard ducks were fed dietary doses of 3, 6, or 12 ppm for 18 weeks.

Effects on aquatic organisms: Abamectin is highly toxic to fish and extremely toxic to aquatic invertebrates. Its LC_{50} (96-hour) is 0.003 mg/L in rainbow trout, 0.0096 mg/L in bluegill sunfish, 0.015 mg/L in sheepshead minnows, 0.024 mg/L in channel catfish, and 0.042 mg/L in carp. Its 48-hour LC_{50} in *Daphnia magna*, a small freshwater crustacean, is 0.003 mg/L. The 96-hour LC_{50} for abamectin is 0.0016 mg/L in pink shrimp, 430 mg/L in eastern oysters, and 153 mg/L in blue crab. While highly toxic to aquatic organisms, actual concentrations of abamectin in surface waters adjacent to treated areas are expected to be low. Abamectin did not bioaccumulate in bluegill sunfish exposed to 0.099 μ g/L for 28 days in a flow-through tank. The levels in fish were from 52 to 69 times the ambient water concentration, indicating that abamectin does not accumulate or persist in fish.

Effects on other organisms: Abamectin is highly toxic to bees, with a 24-hour contact LC_{50} of 0.002 μ g/bee and an oral LD_{50} of 0.009 μ g/bee.

Breakdown in soil and groundwater: Abamectin is rapidly degraded in soil. At the soil surface, it is subject to rapid photodegradation, with half-lives of 8 hours to 1 day reported. When applied to the soil surface and not shaded, its soil half-life is about 1 week. Under dark, aerobic conditions, the soil half-life was 2 weeks to 2 months. Loss of abamectin from soils is thought to be due to microbial degradation. The rate of degradation was significantly decreased under anaerobic conditions. Because abamectin is nearly insoluble in water and has a strong tendency to bind to soil particles, it is immobile in soil and unlikely to leach or contaminate groundwater. Compounds produced by the degradation of abamectin are also immobile and unlikely to contaminate groundwater.

Breakdown in water: Abamectin is rapidly degraded in water. After initial distribution, its half-life in artificial pond water was 4 days. Its half-life in pond sediment was 2 to 4 weeks. It undergoes rapid photodegradation, with a half-life of 12 hours in water. When tested at pH levels common to surface and groundwater (pH 5, 7, and 9), abamectin did not hydrolyse.

Breakdown in vegetation: Plants do not absorb abamectin from the soil. Abamectin is subject to rapid degradation when present as a thin film, as on treated leaf surfaces. Under laboratory conditions and in the presence of light, its half-life as a thin film was 4 to 6 hours.

Section 13 - Disposal Considerations

Disposal: Instructions concerning the disposal of this product and its containers are given on the product label. These should be carefully followed.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are to be found in the public AICS Database.



MATERIAL SAFETY DATA SHEET

The following ingredients: Abamectin, Triclabendazole, are mentioned in the SUSDP.

Section 16 - Other Information

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS	Australian Inventory of Chemical Substances
CAS Number	Chemical Abstracts Service Registry Number
Hazchem Number	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOHSC	National Occupational Health and Safety Commission
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

Please read all labels carefully before using product.

This MSDS is prepared in accord with the NOHSC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, February, 2008.

<http://www.kilford.com.au> Phone (02)9251 4532